

TABLE D-9

FREQUENCY AND RATE OF DEATH FROM SELECTED COMMUNICABLE DISEASES BY YEAR*
MONTANA, 1910-2003

ICD-9	051		032		487		055		036	
ICD-10	A05		A36		J10-J11		B05		A39	
YEAR	BOTULISM+		DIPHTHERIA		INFLUENZA		MEASLES		MENINGOCOCCAL INFECTION	
	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**
1910	-	-	61	16.2	24	6.4	16	4.3	1	0.3
1915	5	1.1	21	4.5	41	8.8	7	1.5	7	1.5
1920	4	0.7	32	5.8	304	55.4	27	4.9	15	2.7
1925	6	1.1	34	6.3	109	20.1	5	0.9	5	0.9
1930	7	1.3	4	0.7	102	19.0	12	2.2	22	4.1
1935	3	0.5	14	2.5	173	31.5	49	8.9	15	2.7
1940	2	0.4	6	1.1	77	13.8	5	0.9	6	1.1
1945	1	0.2	4	0.8	47	9.3	1	0.2	3	0.6
1946	1	0.2	5	1.0	25	4.8	3	0.6	3	0.6
1947	1	0.2	2	0.4	33	6.1	13	2.4	3	0.6
1948	3	0.5	3	0.5	13	2.3	12	2.2	1	0.2
1949	2	0.3	3	0.5	13	2.3	3	0.5	3	0.5
1950	-	-	2	0.3	23	3.9	-	-	1	0.2
1951	2	0.3	-	-	30	5.0	9	1.5	5	0.8
1952	-	-	1	0.2	22	3.7	4	0.7	4	0.7
1953	-	-	3	0.5	59	9.6	4	0.6	2	0.3
1954	-	-	3	0.5	6	1.0	5	0.8	6	1.0
1955	-	-	1	0.2	12	1.9	4	0.6	5	0.8
1956	-	-	1	0.2	4	0.6	1	0.2	7	1.1
1957	-	-	1	0.1	25	3.7	3	0.4	3	0.4
1958	-	-	-	-	14	2.1	2	0.3	4	0.6
1959	-	-	-	-	15	2.2	5	0.7	3	0.4
1960	-	-	-	-	37	5.5	1	0.1	3	0.4
1961	-	-	-	-	8	1.2	1	0.1	1	0.1
1962	-	-	-	-	12	1.7	-	-	4	0.6
1963	-	-	-	-	31	4.4	-	-	3	0.4
1964	1	0.1	-	-	29	4.1	2	0.3	2	0.3
1965	-	-	-	-	5	0.7	-	-	3	0.4
1966	1	0.1	-	-	49	7.0	-	-	2	0.3
1967	-	-	-	-	3	0.4	-	-	2	0.3
1968	-	-	-	-	30	4.3	-	-	2	0.3
1969	-	-	-	-	38	5.5	2	0.3	2	0.3
1970	-	-	2	0.3	8	1.2	-	-	1	0.1
1971	-	-	-	-	9	1.3	2	0.3	2	0.3
1972	-	-	-	-	15	2.1	-	-	2	0.3
1973	-	-	-	-	43	6.0	-	-	2	0.3
1974	-	-	-	-	11	1.5	-	-	1	0.1
1975	-	-	-	-	17	2.3	-	-	-	-
1976	-	-	-	-	95	12.6	-	-	-	-
1977	-	-	-	-	9	1.2	-	-	2	0.3
1978	-	-	-	-	19	2.4	-	-	2	0.3
1979	-	-	-	-	4	0.5	-	-	4	0.5
1980	-	-	-	-	24	3.1	-	-	-	-
1981	1	0.1	-	-	10	1.3	-	-	1	0.1
1982	-	-	-	-	8	1.0	-	-	1	0.1
1983	-	-	-	-	26	3.2	-	-	1	0.1
1984	-	-	-	-	19	2.3	-	-	-	-
1985	-	-	-	-	24	2.9	-	-	3	0.4
1986	-	-	-	-	24	2.9	-	-	-	-
1987	-	-	-	-	9	1.1	-	-	-	-
1988	-	-	-	-	21	2.6	-	-	-	-
1989	-	-	-	-	19	2.4	-	-	-	-
1990	-	-	-	-	15	1.9	-	-	2	0.3
1991	-	-	-	-	7	0.9	-	-	-	-
1992	-	-	-	-	7	0.8	-	-	-	-
1993	-	-	-	-	13	1.5	-	-	-	-
1994	-	-	-	-	15	1.8	-	-	1	0.1
1995	-	-	-	-	6	0.7	-	-	1	0.1
1996	-	-	-	-	11	1.3	-	-	2	0.2
1997	-	-	-	-	0	-	-	-	-	-
1998	-	-	-	-	60	6.8	-	-	-	-
1999	-	-	-	-	35	4.0	-	-	1	0.1
2000	-	-	-	-	10	1.1	-	-	-	-
2001	-	-	-	-	3	0.3	-	-	2	0.2
2002	-	-	-	-	7	0.8	-	-	-	-
2003	-	-	-	-	18	2.0	-	-	-	-

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINNING IN 1946, DATA ARE BY PLACE OF RESIDENCE.

+ PRIOR TO 1949 THE INTERNATIONAL CLASSIFICATION OF DISEASES DID NOT PERMIT IDENTIFICATION OF BOTULISM AS SUCH. THE MORE GENERAL RUBRIC OF "FOOD POISONING" IS REPORTED. THE DEATHS SHOWN PRIOR TO 1968 INCLUDE THOSE ASSIGNED TO "FOOD POISONING UNSPECIFIED."

** PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS USED FOR YEARS ENDING IN ZERO.

TABLE D-9 (CONCLUDED)

FREQUENCY AND RATE OF DEATH FROM SELECTED COMMUNICABLE DISEASES BY YEAR*
MONTANA, 1910-2003

ICD-9	045 138		082.0		137 010-018		002.0		033	
ICD-10	A80		A77		A16-A19		A010		A37	
YEAR	POLIOMYELITIS		ROCKY MOUNTAIN SPOTTED FEVER+		TUBERCULOSIS		TYPHOID FEVER		WHOOPING COUGH	
	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**
1910	17	4.5	-	-	340	90.4	151	40.2	41	10.9
1915	1	0.2	8	1.7	530	113.2	57	12.2	36	7.7
1920	5	0.9	7	1.3	419	76.4	27	4.9	51	9.3
1925	6	1.1	11	2.0	396	73.0	24	4.4	63	11.6
1930	6	1.1	9	1.7	337	62.7	16	3.0	16	3.0
1935	1	0.2	21	3.8	257	46.8	12	2.2	22	4.0
1940	7	1.3	7	1.3	231	41.3	3	0.5	5	0.9
1945	10	2.0	1	0.2	171	33.9	2	0.4	2	0.4
1946	5	1.0	5	1.0	164	31.4	2	0.4	2	0.4
1947	4	0.7	1	0.2	152	28.2	1	0.2	6	1.1
1948	6	1.1	1	0.2	146	26.2	-	-	6	1.1
1949	13	2.3	-	-	109	19.0	1	0.2	2	0.3
1950	3	0.5	1	0.2	114	19.3	-	-	10	1.7
1951	6	1.0	-	-	85	14.3	1	0.2	1	0.2
1952	8	1.3	1	0.2	79	13.1	1	0.2	1	0.2
1953	14	2.3	-	-	77	12.5	-	-	4	0.6
1954	9	1.4	-	-	62	9.9	-	-	1	0.2
1955	8	1.3	-	-	50	7.9	-	-	1	0.2
1956	-	-	-	-	48	7.3	-	-	1	0.2
1957	2	0.3	-	-	68	10.2	-	-	2	0.3
1958	5	0.8	-	-	45	6.8	-	-	-	-
1959	2	0.3	-	-	37	5.5	-	-	-	-
1960	7	1.0	1	0.1	31	4.6	-	-	1	0.1
1961	1	0.1	-	-	24	3.5	1	0.1	-	-
1962	-	-	-	-	32	4.5	-	-	-	-
1963	-	-	-	-	27	3.8	-	-	-	-
1964	-	-	-	-	28	4.0	1	0.1	-	-
1965	-	-	-	-	22	3.1	-	-	-	-
1966	-	-	-	-	21	3.0	-	-	-	-
1967	-	-	-	-	17	2.4	-	-	-	-
1968	1	0.1	-	-	15	2.2	-	-	-	-
1969	-	-	-	-	16	2.3	-	-	-	-
1970	-	-	-	-	12	1.7	-	-	-	-
1971	1	0.1	-	-	10	1.4	-	-	1	0.1
1972	-	-	-	-	11	1.5	-	-	-	-
1973	-	-	-	-	13	1.8	-	-	-	-
1974	1	0.1	-	-	17	2.3	-	-	-	-
1975	1	0.1	1	0.1	13	1.7	-	-	-	-
1976	-	-	-	-	9	1.2	-	-	-	-
1977	-	-	-	-	4	0.5	-	-	-	-
1978	1	0.1	-	-	11	1.4	-	-	-	-
1979	-	-	-	-	5	0.6	-	-	-	-
1980	-	-	-	-	6	0.8	-	-	-	-
1981	-	-	-	-	7	0.9	-	-	-	-
1982	-	-	-	-	7	0.9	-	-	-	-
1983	1	0.1	-	-	1	0.1	-	-	-	-
1984	2	0.2	-	-	10	1.2	-	-	-	-
1985	-	-	-	-	5	0.6	-	-	1	0.1
1986	-	-	-	-	5	0.6	-	-	-	-
1987	-	-	-	-	4	0.5	-	-	-	-
1988	1	0.1	-	-	2	0.2	-	-	-	-
1989	2	0.2	-	-	5	0.6	-	-	-	-
1990	-	-	-	-	2	0.3	-	-	-	-
1991	1	0.1	-	-	4	0.5	-	-	-	-
1992	1	0.1	-	-	4	0.5	-	-	-	-
1993	-	-	-	-	2	0.2	-	-	-	-
1994	-	-	-	-	6	0.7	-	-	-	-
1995	2	0.2	-	-	2	0.2	-	-	-	-
1996	2	0.2	-	-	1	0.1	-	-	1	0.1
1997	0	-	-	-	-	-	-	-	-	-
1998	1	0.1	-	-	4	0.5	-	-	-	-
1999	0	-	-	-	3	0.3	-	-	-	-
2000	0	-	-	-	2	0.2	-	-	-	-
2001	1	0.1	-	-	3	0.3	-	-	-	-
2002	1	0.1	-	-	-	-	-	-	-	-
2003	2	0.2	-	-	1	0.1	-	-	-	-

* DATA FOR 1910-45 ARE BY PLACE OF OCCURRENCE. BEGINNING IN 1946, DATA ARE BY PLACE OF RESIDENCE.

+ DEATHS FROM ROCKY MOUNTAIN SPOTTED FEVER FOR THE YEARS 1915 - 1920 ARE COURTESY OF ROBERT PHILLIPS PH.D. (RETIRED), ROCKY MOUNTAIN LABORATORY, HAMILTON, MONTANA.

** PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS USED FOR YEARS ENDING IN ZERO.